



Enhance your downtime

CaffèUNO is the compact tabletop coffee server designed to fit in any location without compromising on coffee quality; available in black or white monochrome, CaffèUNO is the modern espresso coffee vending server equipped with a large and user-friendly touch display or direct selection panel. One cup, one temperature: ideal for breakfast buffets and meeting rooms, the top-notch heating system installed on CaffèUNO allows for customizing each cup's temperature... [\(more at our website\)](#)

TSC

CaffèUNO "PRO" Espresso - TSC

TECHNICAL SPECIFICATIONS	TSC
DIMENSIONS H x W x D (mm)	770 x 420 x 530
WEIGHT (NET - Standard machine without options)	35 Kg
COFFEE BEANS CANISTER	2.4 kg (hopper)
POWDER CANISTER	2 Large 1 Small
GRINDER	Professional Conical Burr
INTERFACE TOUCH	10" Touch Screen
INTERFACE DIRECT SELECTION	5" Display with 10 Direct Push Button
WATER FITTING CONNCTION	G 3/4" 0.2-8 Bar (0.2 Mpa - 0.8 Mpa)
THERMOFUSE	16 A
PAYMENT SYSTEM PROTOCOL (Option)	Executive / MDB
POWER SUPPLY	220/240 V - 50/60 Hz
ENERGY CONSUMPTION*	134 Wh/L

*Energy consumption in Wh per liter of Espresso dispensed



Enhance your downtime

CaffèUNO is the compact tabletop coffee server designed to fit in any location without compromising on coffee quality; available in black or white monochrome, CaffèUNO is the modern espresso coffee vending server equipped with a large and user-friendly touch display or direct selection panel. One cup, one temperature: ideal for breakfast buffets and meeting rooms, the top-notch heating system installed on CaffèUNO allows for customizing each cup's temperature... [\(more at our website\)](#)

TSE

CaffèUNO - Espresso - TSE

TECHNICAL SPECIFICATIONS

TECHNICAL SPECIFICATIONS	TSE
DIMENSIONS H x W x D (mm)	660 x 420 x 530
WEIGHT (NET - Standard machine without options)	35 Kg
COFFEE BEANS CANISTER	1.2 kg
POWDER CANISTER	2 Large 1 Small
GRINDER	professional Conical Burr
INTERFACE TOUCH	10" Touch Screen
INTERFACE DIRECT SELECTION	5" Display with 10 Direct Push Button
WATER FITTING CONNCTION	G 3/4" 0.2-8 Bar (0.2 Mpa - 0.8 Mpa)
THERMOFUSE	16 A
PAYMENT SYSTEM PROTOCOL (Option)	Executive / MDB
POWER SUPPLY	220/240 V - 50/60 Hz
ENERGY CONSUMPTION*	134 Wh/L

*Energy consumption in Wh per liter of Espresso dispensed

OPTIONAL

- TOUCH SCREEN 10" MULTI-LANGUAGE
- LARGE ESPRESSO BREWER
- SPECIAL CODED LOCK (RIELDA)
- CUP SENSOR
- EXTERNAL WATER TANK KIT (20 l)
- WATER SOFTNER (FILTER)
- CUSTOMIZED CABINET COLOUR
- BASE CABINET
- VALIDATOR KIT



Enhance your downtime

CaffèUNO is the compact tabletop coffee server designed to fit in any location without compromising on coffee quality; available in black or white monochrome, CaffèUNO is the modern espresso coffee vending server equipped with a large and user-friendly touch display or direct selection panel. One cup, one temperature: ideal for breakfast buffets and meeting rooms, the top-notch heating system installed on CaffèUNO allows for customizing each cup's temperature... [\(more at our website\)](#)

TSH

CaffèUNO - Instant TSH

TECHNICAL SPECIFICATIONS

TECHNICAL SPECIFICATIONS	TSH
DIMENSIONS H x W x D (mm)	660 x 420 x 530
WEIGHT (NET - Standard machine without options)	35 Kg
POWDER CANISTER	2 Large 2 Medium 1 Small
INTERFACE TOUCH	10" Touch Screen
INTERFACE DIRECT SELECTION	5" Display with 10 Direct Push Button
WATER FITTING CONNCTION	G 3/4" 0.2-8 Bar (0.2 Mpa - 0.8 Mpa)
THERMOFUSE	16 A
PAYMENT SYSTEM PROTOCOL (Option)	Executive / MDB
POWER SUPPLY	220/240 V - 50 /60 Hz
ENERGY CONSUMPTION*	134 Wh/L

*Energy consumption in Wh per liter of Espresso dispensed

OPTIONAL

- TOUCH SCREEN 10" MULTI-LANGUAGE
- SPECIAL CODED LOCK (RIELDA)
- CUP SENSOR
- EXTERNAL WATER TANK KIT (20 l)
- WATER SOFTNER (FILTER)
- CUSTOMIZED CABINET COLOUR
- BASE CABINET
- VALIDATOR KIT