



Easy, Friendly, Healthy.

SandenVendo G-Caffè now extends its line to fully automatic Instant version. The same elegant look and reliability with a wide variety of high quality hot drinks, served in an “instant”! A large display, innovative capacitive key pad and simple programming are the user-friendly features offered by G-Caffè range. The SandenVendo software provides an easy method (of creating drink recipes and nesting among the machines and the PC), at the machine or on your PC. With SandenVendo G-Caffè popular hot drinks are always available and served in an excellent quality.

ES 7

Espresso Single Boiler ES7

TECHNICAL SPECIFICATIONS

	ES 7
DIMENSIONS H x W x D (mm)	1830 x 650 x 770
WEIGHT (NET - Standard machine without options)	180 Kg
CUPS	Up to 1000
CUP TYPES	70-73 mm or 80 mm
STIRRER (pcs)	1000 (600 for single column)
NO. OF SELECTIONS	22
PRE-SELECTIONS	1
DISPLAY	VFD (vacuum fluorescent graphic display) Display size 115 x 29 mm
WATER FITTING CONNCTION	G 3/4" 2-8 bar
PROTOCOL	Executive / MDB
POWER SUPPLY	230 V / 50 Hz
MAX. POWER CONSUMPTION	2500 W

OPTIONAL

- SPECIAL CODED LOCK (RIELDA)
- CUP SENSOR
- DEX / UCS KIT
- TELEMETRY KIT
- 80 mm CUP DISPENSER
- EXTERNAL WATER TANK KIT (20 l)
- VALIDATOR KIT
- MEMORY KEY
- KIT EVA DTS
- WATER SOFTNER (FILTER)
- DOUBLE GRINDER
- NUTRITION DISPLAY
- CUSTOMIZED CABINET COLOUR



Easy, Friendly, Healthy.

SandenVendo G-Caffè now extends its line to fully automatic Instant version. The same elegant look and reliability with a wide variety of high quality hot drinks, served in an “instant”! A large display, innovative capacitive key pad and simple programming are the user-friendly features offered by G-Caffè range. The SandenVendo software provides an easy method (of creating drink recipes and nesting among the machines and the PC), at the machine or on your PC. With SandenVendo G-Caffè popular hot drinks are always available and served in an excellent quality.

ED 7

Espresso Double Boiler ED7

TECHNICAL SPECIFICATIONS

	ED 7
DIMENSIONS H x W x D (mm)	1830 x 650 x 770
WEIGHT (NET - Standard machine without options)	180 Kg
CUPS	Up to 1000
CUP TYPES	70-73 mm or 80 mm
STIRRER (pcs)	1000 (600 for single column)
NO. OF SELECTIONS	22
PRE-SELECTIONS	1
DISPLAY	VFD (vacuum fluorescent graphic display) Display size 115 x 29 mm
WATER FITTING CONNCTION	G 3/4" 2-8 bar
PROTOCOL	Executive / MDB
POWER SUPPLY	230 V / 50 Hz
MAX. POWER CONSUMPTION	2500 W

OPTIONAL

- SPECIAL CODED LOCK (RIELDA)
- CUP SENSOR
- DEX / UCS KIT
- TELEMETRY KIT
- 80 mm CUP DISPENSER
- EXTERNAL WATER TANK KIT (20 l)
- VALIDATOR KIT
- MEMORY KEY
- KIT EVA DTS
- WATER SOFTNER (FILTER)
- DOUBLE GRINDER
- NUTRITION DISPLAY
- CUSTOMIZED CABINET COLOUR



Easy, Friendly, Healthy.

SandenVendo G-Caffè now extends its line to fully automatic Instant version. The same elegant look and reliability with a wide variety of high quality hot drinks, served in an “instant”! A large display, innovative capacitive key pad and simple programming are the user-friendly features offered by G-Caffè range. The SandenVendo software provides an easy method (of creating drink recipes and nesting among the machines and the PC), at the machine or on your PC. With SandenVendo G-Caffè popular hot drinks are always available and served in an excellent quality.

IN 7

Instant IN7

TECHNICAL SPECIFICATIONS

TECHNICAL SPECIFICATIONS	IN 7
DIMENSIONS H x W x D (mm)	1830 x 650 x 770
WEIGHT (NET - Standard machine without options)	180 Kg
CUPS	Up to 1000
CUP TYPES	70-73 mm or 80 mm
STIRRER (pcs)	1000 (600 for single column)
NO. OF SELECTIONS	22
PRE-SELECTIONS	1
DISPLAY	VFD (vacuum fluorescent graphic display) Display size 115 x 29 mm
WATER FITTING CONNCTION	G 3/4" 2 - 8 bar
PROTOCOL	Executive / MDB
POWER SUPPLY	230 V / 50 Hz
MAX. POWER CONSUMPTION	2500 W

OPTIONAL

- SPECIAL CODED LOCK (RIELDA)
- CUP SENSOR
- DEX / UCS KIT
- TELEMETRY KIT
- 80 mm CUP DISPENSER
- EXTERNAL WATER TANK KIT (20 l)
- VALIDATOR KIT
- MEMORY KEY
- KIT EVA DTS
- WATER SOFTNER (FILTER)
- NUTRITION DISPLAY
- CUSTOMIZED CABINET COLOUR