



## Snacking, Solved!

An evolutionary snack machine to upgrade the G-Snack PLUS with the same software and technical features of DESIGN line. A spacious and brightly illuminated showcase enhances the product display. New user friendly features offer a large display in blue characters with a new easy door latching system.

SML

# G-Snack Standard Twelve (XII) Master - SML

TECHNICAL SPECIFICATIONS	SML
DIMENSIONS H x W x D (mm)	1830* x 1290 x 900
WEIGHT (NET - Standard machine without options)	410 Kg
NO. OF SELECTIONS PER SHELF	12 (6 + 6)
NO. OF SHELVES	Standard 6 / Max. 7
NO. OF SELECTIONS	Max. 96
PROTOCOL	Executive / MDB
COOLING SYSTEM CONTROL	Electronic
INTERNAL TEMPERATURE RANGE	+2°C up to +18°C
MAX. POWER CONSUMPTION	600 W
POWER SUPPLY	230 V / 50 Hz
CLIMATE CLASS	ST (+16°C up to +38°C)
ENERGY CONSUMPTION	227 wh/h **

\* With adjustable feet

\*\* 25°C RT - 65% H



## Snacking, Solved!

An evolutionary snack machine to upgrade the G-Snack PLUS with the same software and technical features of DESIGN line. A spacious and brightly illuminated showcase enhances the product display. New user friendly features offer a large display in blue characters with a new easy door latching system.

SMX

# G-Snack Standard Ten (X) Master - SMX

### TECHNICAL SPECIFICATIONS

	SMX
DIMENSIONS H x W x D (mm)	1830* x 1125 x 845
WEIGHT (NET - Standard machine without options)	340 Kg
NO. OF SELECTIONS PER SHELF	10
NO. OF SHELVES	Standard 6 / Max. 7
NO. OF SELECTIONS	Max. 70
PROTOCOL	Executive / MDB
COOLING SYSTEM CONTROL	Electronic
INTERNAL TEMPERATURE RANGE	+2°C up to +18°C
MAX. POWER CONSUMPTION	600 W
POWER SUPPLY	230 V / 50 Hz
CLIMATE CLASS	ST (+16°C up to +38°C)
ENERGY CONSUMPTION	244 wh/h

\* With adjustable feet

### OPTIONAL

- SPEEDY LIFT
- DUO SYNCHRO SPIRAL (NEW)
- DOUBLE SPIRAL MOTOR
- DUO DIVIDER
- KIT SANDWICH / BAGUETTE
- 7TH SHELF
- FRONT GLASS PROTECTION
- LOCK PROTECTION
- WALL/FLOOR FIXING KIT
- SPECIAL CODED LOCK (RIELDA)
- SECURITY CASH BOX SYSTEM
- BRANDING
- CUSTOMIZED CABINET COLOUR
- CO2 COOLING UNIT AVAILABLE



## Snacking, Solved!

An evolutionary snack machine to upgrade the G-Snack PLUS with the same software and technical features of DESIGN line. A spacious and brightly illuminated showcase enhances the product display. New user friendly features offer a large display in blue characters with a new easy door latching system.

SM8

# G-Snack Standard Eight (VIII) Master - SM8

### TECHNICAL SPECIFICATIONS

	SM8
DIMENSIONS H x W x D (mm)	1830* x 980 x 845
WEIGHT (NET - Standard machine without options)	310 Kg
NO. OF SELECTIONS PER SHELF	8
NO. OF SHELVES	Standard 6 / Max. 7
NO. OF SELECTIONS	Max. 56
PROTOCOL	Executive / MDB
COOLING SYSTEM CONTROL	Electronic
INTERNAL TEMPERATURE RANGE	+2°C up to +18°C
MAX. POWER CONSUMPTION	600 W
POWER SUPPLY	230 V / 50 Hz
CLIMATE CLASS	ST (+16°C up to +38°C)
ENERGY CONSUMPTION	203 wh/h

\* With adjustable feet

\*\*\* The Equipment contains fluorinated greenhouse gases. The fluorinated greenhouse gases are contained in hermetically sealed equipment

### OPTIONAL

- SPEEDY LIFT
- DUO SYNCHRO SPIRAL (NEW)
- DOUBLE SPIRAL MOTOR
- DUO DIVIDER
- KIT SANDWICH / BAGUETTE
- 7TH SHELF
- FRONT GLASS PROTECTION
- LOCK PROTECTION
- WALL/FLOOR FIXING KIT
- SPECIAL CODED LOCK (RIELDA)
- SECURITY CASH BOX SYSTEM
- BRANDING
- CUSTOMIZED CABINET COLOUR
- CO2 COOLING UNIT AVAILABLE



## Snacking, Solved!

An evolutionary snack machine to upgrade the G-Snack PLUS with the same software and technical features of DESIGN line. A spacious and brightly illuminated showcase enhances the product display. New user friendly features offer a large display in blue characters with a new easy door latching system.

SM6

# G-Snack Standard Six (VI) Master - SM6

### TECHNICAL SPECIFICATIONS

	SM6
DIMENSIONS H x W x D (mm)	1830* x 830 x 845
WEIGHT (NET - Standard machine without options)	275 Kg
NO. OF SELECTIONS PER SHELF	6
NO. OF SHELVES	Standard 6 / Max. 7
NO. OF SELECTIONS	Max. 42
PROTOCOL	Executive / MDB
COOLING SYSTEM CONTROL	Electronic
INTERNAL TEMPERATURE RANGE	+2°C up to +18°C
MAX. POWER CONSUMPTION	550 W
POWER SUPPLY	230 V / 50 Hz
CLIMATE CLASS	ST (+16°C up to +38°C)
ENERGY CONSUMPTION	200 wh/h

\* With adjustable feet

### OPTIONAL

SPEEDY LIFT  
 DUO SYNCHRO SPIRAL (NEW)  
 DOUBLE SPIRAL MOTOR  
 DUO DIVIDER  
 KIT SANDWICH / BAGUETTE  
 7TH SHELF  
 FRONT GLASS PROTECTION  
 LOCK PROTECTION  
 WALL/FLOOR FIXING KIT  
 SPECIAL CODED LOCK (RIELDA)  
 SECURITY CASH BOX SYSTEM  
 BRANDING  
 CUSTOMIZED CABINET COLOUR  
 CO2 COOLING UNIT AVAILABLE