



Your sleek vending ally

Just when you thought that your vending business couldn't get any better, SandenVendo launched the sophisticated G-Snack Design Slave automatic vending machine.

Engineered to function with any G-Caffè, G-Drink and G-Snack master machine model that holds the selection panel and a single payment system, G-Snack Design Slave is the refined, hi-tech vending solution that will serve as a proper business ally to your existing vending installation: try pairing it with a G-Caffè vending machine and let your customer indulge in a treat to combine with an authentic Italian espresso.

SSX / KSX

G-Snack Design Ten (X) Slave

TECHNICAL SPECIFICATIONS

	SSX / KSX
DIMENSIONS H x W x D (mm)	1830 x 980 x 845
WEIGHT (NET - Standard machine without options)	290 kg
NO. OF SELECTIONS PER SHELF	10
NO. OF SHELVES	Standard 6 / Max. 7
NO. OF SELECTIONS	Max. 70
PROTOCOL	Executive / MDB
COOLING SYSTEM CONTROL	Electronic
COOLING UNIT	HC2
INTERNAL TEMPERATURE RANGE	+2°C up to +18°C
MAX. POWER CONSUMPTION	600 W
POWER SUPPLY	230/240 V - 50/60 Hz
CLIMATE CLASS	ST (+16°C up to +38°C)
ENERGY CLASS	D (Cat. 2) D (Cat. 3) D (Cat. 4)
ENERGY CONSUMPTION - kWh/annum	1087 (Cat. 2) 1666 (Cat. 3) 1607 (Cat. 4)

* With adjustable feet

OPTIONAL

- SPEEDY LIFT
- DUO SYNCHRO SPIRAL (NEW)
- DOUBLE SPIRAL MOTOR
- DUO DIVIDER
- KIT SANDWICH / BAGUETTE
- 7TH SHELF
- WALL/FLOOR FIXING KIT
- SPECIAL CODED LOCK (RIELDA)
- SECURITY CASH BOX SYSTEM
- BRANDING
- CUSTOMIZED CABINET COLOUR



SS8 / KS8

Your sleek vending ally

Just when you thought that your vending business couldn't get any better, SandenVendo launched the sophisticated G-Snack Design Slave automatic vending machine.

Engineered to function with any G-Caffè, G-Drink and G-Snack master machine model that holds the selection panel and a single payment system, G-Snack Design Slave is the refined, hi-tech vending solution that will serve as a proper business ally to your existing vending installation: try pairing it with a G-Caffè vending machine and let your customer indulge in a treat to combine with an authentic Italian espresso.

G-Snack Design Eight (VIII) Slave

TECHNICAL SPECIFICATIONS

SS8 / KS8

DIMENSIONS H x W x D (mm)	1830 x 830 x 845
WEIGHT (NET - Standard machine without options)	240 kg
NO. OF SELECTIONS PER SHELF	8
NO. OF SHELVES	Standard 6 / Max. 7
NO. OF SELECTIONS	Max. 56
PROTOCOL	Executive / MDB
COOLING SYSTEM CONTROL	Electronic
COOLING UNIT	HC2
INTERNAL TEMPERATURE RANGE	+2°C up to +18°C
MAX. POWER CONSUMPTION	600 W
POWER SUPPLY	230/240 V - 50/60 Hz
CLIMATE CLASS	ST (+16°C up to +38°C)
ENERGY CLASS	D (Cat. 2) D (Cat. 3) D (Cat. 4)
ENERGY CONSUMPTION - kWh/annum	975 (Cat. 2) 1569 (Cat. 3) 1521 (Cat. 4)

*With adjustable feet

OPTIONAL

- SPEEDY LIFT
- DUO SYNCHRO SPIRAL (NEW)
- DOUBLE SPIRAL MOTOR
- DUO DIVIDER
- KIT SANDWICH / BAGUETTE
- 7TH SHELF
- WALL/FLOOR FIXING KIT
- SPECIAL CODED LOCK (RIELDA)
- SECURITY CASH BOX SYSTEM
- BRANDING
- CUSTOMIZED CABINET COLOUR



Your sleek vending ally

Just when you thought that your vending business couldn't get any better, SandenVendo launched the sophisticated G-Snack Design Slave automatic vending machine.

Engineered to function with any G-Caffè, G-Drink and G-Snack master machine model that holds the selection panel and a single payment system, G-Snack Design Slave is the refined, hi-tech vending solution that will serve as a proper business ally to your existing vending installation: try pairing it with a G-Caffè vending machine and let your customer indulge in a treat to combine with an authentic Italian espresso.

SS6 / KS6

G-Snack Design Six (VI) Slave

TECHNICAL SPECIFICATIONS

SS6 / KS6

DIMENSIONS H x W x D (mm)	1830* x 685 x 845
WEIGHT (NET - Standard machine without options)	220 kg
NO. OF SELECTIONS PER SHELF	6
NO. OF SHELVES	Standard 6 / Max. 7
NO. OF SELECTIONS	Max. 42
PROTOCOL	Executive / MDB
COOLING SYSTEM CONTROL	Electronic
COOLING UNIT	HC
INTERNAL TEMPERATURE RANGE	+2°C up to +18°C
MAX. POWER CONSUMPTION	550 W
POWER SUPPLY	230/240 V - 50 Hz
CLIMATE CLASS	ST (+16 °C up to +38 °C)
ENERGY CLASS	E (Cat. 2) E (Cat. 3) E (Cat. 4)
ENERGY CONSUMPTION - kWh/annum	1231 (Cat. 2) 1703 (Cat. 3) 1703 (Cat. 4)

* With adjustable feet

OPTIONAL

- SPEEDY LIFT
- DUO SYNCHRO SPIRAL (NEW)
- DOUBLE SPIRAL MOTOR
- DUO DIVIDER
- KIT SANDWICH / BAGUETTE
- 7TH SHELF
- WALL/FLOOR FIXING KIT
- SPECIAL CODED LOCK (RIELDA)
- SECURITY CASH BOX SYSTEM
- BRANDING
- CUSTOMIZED CABINET COLOUR