



Snacking? Solved!

Beyond simple product selection, G-Snack Design is such a versatile automatic vending machine that opens up vast opportunities to customers who are interested in engaging with a solid wealth of retail possibilities. Moreover, G-Snack Design 6 and 8 are designed to pass through narrow passages thanks to their split function which separates the main body from the payment column. The extreme versatility of this vending machine allows for accommodating a large array of F&B products as well as Extra-Vending merchandise of various sizes and shapes. As the most elegant range of vending machines, G-Snack Design seamlessly complements upscale environments such as high-end offices, offering both functionality and refined style

SDX

G-Snack Design Ten (X) Master

TECHNICAL SPECIFICATIONS

	SDX
DIMENSIONS H x W x D (mm)	1830*x 1125 x 845
WEIGHT (NET - Standard machine without options)	340 Kg
NO. OF SELECTIONS PER SHELF	10
NO. OF SHELVES	Standard 6 / Max. 7
NO. OF SELECTIONS	Max. 70
PROTOCOL	Executive / MDB
COOLING SYSTEM CONTROL	Electronic
INTERNAL TEMPERATURE RANGE	+2°C up to +18°C
CLIMATE CLASS	ST (+16°C up to +38°C)
COOLING UNIT	HCD
POWER SUPPLY	230/240 V - 50/60 Hz
MAX. POWER CONSUMPTION	350 W
ENERGY CLASS	C (Cat. 2) C (Cat. 3) C (Cat. 4)
ENERGY CONSUMPTION - kWh/annum	694 (Cat. 2) 869 (Cat. 3) 925 (Cat. 4)

*With adjustable feet

OPTIONAL

SPEEDY LIFT
E-LABELING
BELT SYSTEM
ROTARY SYSTEM
KIT SANDWICH
KIT BAGUETTE
MOTORIZED LOCK DELIVERY EYELET
SPECIAL CODED LOCK (RIELDA)
LOCK PROTECTION
SAFETY SLIDE COIN INSERT
SECURITY CASH BOX SYSTEM
ROOF KIT
WALL/FLOOR FIXING KIT
PAYMENT SYSTEM
KIT EVA DTS
VARIOUS FITTING KITS
CUSTOMIZATION
CUSTOMIZED CABINET COLOUR



Snacking? Solved!

Beyond simple product selection, G-Snack Design is such a versatile automatic vending machine that opens up vast opportunities to customers who are interested in engaging with a solid wealth of retail possibilities. Moreover, G-Snack Design 6 and 8 are designed to pass through narrow passages thanks to their split function which separates the main body from the payment column. The extreme versatility of this vending machine allows for accommodating a large array of F&B products as well as Extra-Vending merchandise of various sizes and shapes. As the most elegant range of vending machines, G-Snack Design seamlessly complements upscale environments such as high-end offices, offering both functionality and refined style

SC8

G-Snack Design Eight (VIII) Master

TECHNICAL SPECIFICATIONS

	SC8
DIMENSIONS H x W x D (mm)	1830*980x845
WEIGHT (NET - Standard machine without options)	310 Kg
NO. OF SELECTIONS PER SHELF	8
NO. OF SHELVES	Standard 6 / Max. 7
NO. OF SELECTIONS	Max. 56
PROTOCOL	Executive / MDB
COOLING SYSTEM CONTROL	Electronic
INTERNAL TEMPERATURE RANGE	+2°C up to +18°C
CLIMATE CLASS	ST (+16°C up to +38°C)
COOLING UNIT	HCD
POWER SUPPLY	230/240 V - 50/60 Hz
MAX. POWER CONSUMPTION	350 W
ENERGY CLASS	C (Cat. 2) C (Cat. 3) C (Cat. 4)
ENERGY CONSUMPTION - kWh/annum	681 (Cat. 2) 849 (Cat. 3) 878 (Cat. 4)

*With adjustable feet

OPTIONAL

SPEEDY LIFT
E-LABELING
BELT SYSTEM
ROTARY SYSTEM
KIT SANDWICH
KIT BAGUETTE
MOTORIZED LOCK DELIVERY EYELET
SPECIAL CODED LOCK (RIELDA)
LOCK PROTECTION
SAFETY SLIDE COIN INSERT
SECURITY CASH BOX SYSTEM
ROOF KIT
WALL/FLOOR FIXING KIT
PAYMENT SYSTEM
KIT EVA DTS
VARIOUS FITTING KITS
CUSTOMIZATION
CUSTOMIZED CABINET COLOUR



Snacking? Solved!

Beyond simple product selection, G-Snack Design is such a versatile automatic vending machine that opens up vast opportunities to customers who are interested in engaging with a solid wealth of retail possibilities. Moreover, G-Snack Design 6 and 8 are designed to pass through narrow passages thanks to their split function which separates the main body from the payment column. The extreme versatility of this vending machine allows for accommodating a large array of F&B products as well as Extra-Vending merchandise of various sizes and shapes. As the most elegant range of vending machines, G-Snack Design seamlessly complements upscale environments such as high-end offices, offering both functionality and refined style

SC6

G-Snack Design Six (VI) Master

TECHNICAL SPECIFICATIONS

	SC6
DIMENSIONS H x W x D (mm)	1830*830x845
WEIGHT (NET - Standard machine without options)	275 Kg
NO. OF SELECTIONS PER SHELF	6
NO. OF SHELVES	Standard 6 / Max. 7
NO. OF SELECTIONS	Max. 42
PROTOCOL	Executive / MDB
COOLING SYSTEM CONTROL	Electronic
INTERNAL TEMPERATURE RANGE	+2°C up to +18°C
CLIMATE CLASS	ST (+16°C up to +38°C)
COOLING UNIT	HCD
POWER SUPPLY	230/240 V - 50/60 Hz
MAX. POWER CONSUMPTION	350 W
ENERGY CLASS	C (Cat. 2) C (Cat. 3) C (Cat. 4)
ENERGY CONSUMPTION - kWh/annum	629 (Cat. 2) 798 (Cat. 3) 793 (Cat. 4)

*With adjustable feet

OPTIONAL

- SPEEDY LIFT
- E-LABELING
- BELT SYSTEM
- ROTARY SYSTEM
- KIT SANDWICH
- KIT BAGUETTE
- MOTORIZED LOCK DELIVERY EYELET
- SPECIAL CODED LOCK (RIELDA)
- LOCK PROTECTION
- SAFETY SLIDE COIN INSERT
- SECURITY CASH BOX SYSTEM
- ROOF KIT
- WALL/FLOOR FIXING KIT
- PAYMENT SYSTEM
- KIT EVA DTS
- VARIOUS FITTING KITS
- CUSTOMIZATION
- CUSTOMIZED CABINET COLOUR